

Vermont Volunteer Surface Water Monitoring Guide

Prepared by
Amy Picotte and Linda Boudette



Vermont Agency of Natural Resources
Department of Environmental Conservation
Water Quality Division
103 South Main Street, Building 10N
Waterbury, Vermont
05671-0408
802-241-3777
www.vtwaterquality.org

Printed in 2005

The Vermont Department of Environmental Conservation is an equal opportunity agency and offers all persons the benefits of participating in each of its programs and competing in all areas of employment regardless of race, color, religion, sex, national origin, age, disability, sexual preference, or other non-merit factors.

This document is available upon request in large print, braille or audio cassette.

VT Relay Service for the Hearing Impaired

1-800-253-0191 TDD>Voice - 1-800-253-0195 Voice>TDD

Table of Contents

Acknowledgements.....	ii
Section 1: Introduction: The History of Volunteer Monitoring	1
Monitoring Design Worksheet.....	5
Section 2: Defining Your Questions: Why, What and Who	9
Section 3: Choosing Parameters to Support Your Questions	13
Section 4: Data Quality	27
Section 5: Planning Where, When and How to Monitor	37
Section 6: Data Management	49
Section 7: Converting Data to Information	53
Section 8: Evaluating Monitoring Program Performance	69
References	75
Appendix A: Resources.....	77
Appendix B: Considerations for Selecting and Using a Contract Laboratory.....	81
Appendix C: Existing Volunteer Surface Water Monitoring Manuals	85
Appendix D: Equipment and Supply Vendors.....	87
Appendix E: Useful Tools for Monitoring	89
Appendix F: VTDEC Uses of Volunteer Data.....	99
Appendix G: Glossary.....	101
Appendix H: Acronyms, Abbreviations and Symbols.....	107

Acknowledgements

This Guide demonstrates that Vermont is made beautiful by its nature and landscape and with the commitment and cooperation of those people working to monitor, protect and improve surface water quality. This Guide has been made possible by the collaboration of and input from Vermont volunteer water quality monitoring groups, aquatic specialists, environmental educators, lake and watershed organizations, and the Agency of Natural Resources' Water Quality Division staff.



Additionally, the Minnesota Pollution Control Agency is greatly thanked for their permission to use their "Volunteer Surface Water Monitoring Guide" as a template for this Vermont version. The Minnesota Pollution Control Agency and the Vermont Water Quality Division both hope these Guides will advance the important work of citizen monitoring.

The *Vermont Volunteer Surface Water Monitoring Guide* is dedicated to:

Wallace McLean, Water Quality Division Director and
Virginia Garrison, Lakes and Ponds Section Chief

for their long-term commitment and support of
volunteer monitoring in Vermont and beyond.



Section 1

Introduction: The History of Volunteer Monitoring

*As we lay in our hammock by the pond,
it's as close to heaven as we can be.*

Harriet Mitchell,
Perch Pond Lay Monitor

Volunteer citizen monitoring is a critical component in understanding and educating Vermonters about water quality issues. This Guide will walk groups and organizations through the steps of designing an appropriate monitoring program for lakes, streams, rivers and wetlands. This Guide will also provide helpful information, resources and contacts for volunteers who are monitoring and protecting Vermont's surface waters.

A few decades ago, U.S. waters were becoming alarmingly impaired by pollutants. In 1972, Congress responded to citizens' pressure to clean up U.S. waters by passing the Clean Water Act, a mandate to protect and restore the physical, chemical and biological integrity of the nation's waters so that they can support "the protection and propagation of fish, shellfish, and wildlife and recreation in and on the water." This legislation gave agencies, local governments, environmental groups, universities, citizens and other organizations the clout to implement and enforce the Clean Water Act.

Volunteers have taken an active role in monitoring Vermont's waters since the 1970s, and in recent years have gained more attention from state and federal agencies as their methods have improved. In Vermont, volunteers have shown that their monitoring results are valuable for the assessment of our waters. Under the Clean Water Act, every state submits a biennial report to the U.S. Environmental Protection Agency (EPA), which provides information about the quality of the state's surface and ground waters. The information in this report, called the 305(b) Report, is used to make recommendations and decisions for managing Vermont's waters. Relevant and quality control checked volunteer data are included in this report.

G To view Vermont's most current 305(b) Report, visit the Water Quality Division homepage at www.vtwaterquality.org.

History of volunteer monitoring nationwide

Across the country, volunteers monitor the condition of streams, rivers, lakes, reservoirs, estuaries, coastal waters, and wetlands. People volunteer to monitor because they have questions about a stream, lake, bay, or wetland near where they work, live, or play. The data they collect provides information to public and private organizations, enhances community education, and builds stewardship of local waters.

Since the 1970s, the number of volunteer monitoring programs in the United States has grown. Not surprisingly, the distribution of these programs tends to follow the distribution of surface waters in the country. Volunteer lake and stream monitoring began in the Northeast and Great Lakes regions, and many of these programs are still going strong after 20 or more years. Vermont is one of the pioneers in volunteer lake monitoring with the Lay Monitoring Program beginning in 1979 (the fourth oldest in the country).



Volunteer monitoring in Vermont

Three factors have benefited volunteer monitoring in Vermont. First, Vermonters have a strong environmental ethic and concern for the quality of their environment. Second, you can drive to and from any location in Vermont in a day, making it easier to share information from different, but neighboring waterbodies and logistically aiding in any sample transport. Third, there has always been good collaboration between different water interest groups, e.g., the Vermont Department of Environmental Conservation (VTDEC), the University of Vermont (UVM), non-profit organizations and citizen monitors.

Volunteer lake monitoring in Vermont began in 1979, with the inception of the Lay Monitoring Program (LMP), a statewide citizen lake monitoring program. The Lake Champlain Committee, a nonprofit organization that has been helping to protect Lake Champlain since 1963, played an important role in helping the Vermont Water Quality Division launch the LMP. Volunteers in the LMP test lakes for water clarity (Secchi depth), chlorophyll-a (algae growth), and phosphorus (nutrient enrichment). The LMP has

helped to establish baseline water conditions, document changes in water quality, and educate and involve local residents in lake protection.

G For more information on the LMP, visit www.vtwaterquality.org/lakes/html_lp_imp.htm.


G For more information on the Lake Champlain Committee, visit www.lakechamplaincommittee.org.

River Watch Network (RWN) was formed in 1987, based on a successful 20-year program on Vermont's Ottauquechee River. Under RWN, citizens and students living in the Ottauquechee watershed gathered and used monitoring information to trigger community support to successfully clean up polluted rivers. The creation of RWN established a network of programs providing river volunteers with tools to measure the health of their river. In 1999, RWN merged with River Network, a national program that helps volunteers turn concern and information into action.

G For more information on River Network, visit www.rivernetwork.org.

Vermont's Clean and Clear Action Plan

Lake Champlain



Phosphorus concentration criteria ($\mu\text{g/L}$) in Vermont Water Quality Standards for Lake Champlain segments.

In 2003, Vermont Governor Jim Douglas introduced one of the most significant water quality initiatives ever undertaken in Vermont, the "Clean and Clear Action Plan." The goals of this Plan are to provide leadership, financial resources, and a sustained commitment to efforts designed to ensure that Vermont's waterways meet water quality standards.

The Lake Champlain Basin encompasses nearly one-half of Vermont, including Lake Champlain and its numerous tributaries. This area is one of the main targets of the Clean and Clear Action Plan. One aspect of the Plan establishes limits, a Total Maximum Daily Load (TMDL), for phosphorus runoff into Lake Champlain. Volunteer data from the Lay Monitoring Program were used to establish the phosphorus water quality standards for Lake Champlain that the TMDL is designed to achieve. Phosphorus is a pollutant that promotes excessive growth of algae and poses a serious water quality problem for Vermont's waterways. In some areas, significant algae growth causes massive floating mats that close beaches, impact tourism, impede recreation, and release dangerous toxins.

Many of the actions of this Plan reduce other pollutants in addition to phosphorus. The cleanup plan includes measures to protect Vermont's surface waters with stream bank stabilization, implementation of erosion control measures at construction sites, maintenance of backroads, and better management of agricultural lands. The estimated long-term cost of this initiative is \$150 million, shared by federal, state, local, and private resources. Volunteer monitoring will be encouraged to help document current and future water quality conditions as basinwide clean up efforts take hold.

G For more information on Governor Douglas' Clean and Clear Action Plan, visit www.anr.state.vt.us/cleanandclear.



the exception of macroinvertebrates, nitrogen and flow, lakes are most often tested for the same parameters with the addition of chlorophyll-*a*, transparency/clarity, aquatic vegetation, and exotic/invasive species.

Using various procedures, volunteer monitors can discover problems in streams, lakes, and wetlands that otherwise may not be brought to the attention of natural resource professionals and policy makers. Volunteer monitors can also highlight the need to protect waterbodies that are still healthy ecosystems and join others who have provided data to understand the long-term changes that occur in lakes and streams as a result of population growth and development.

Once high quality, reliable volunteer data are collected, they can be entered into water quality databases where they become accessible to citizens, local governments, consultants and agencies for retrieval and decision-making. In this manner, the data volunteer monitors collect can be widely distributed.

How groups use volunteer data

At a minimum, monitoring programs will help educate those involved and others about water quality problems and will promote awareness and stewardship. Monitoring programs can also choose to go beyond education, awareness and stewardship to seek a role in shaping policy and management decisions.

Groups typically use volunteer data, in addition to educational purposes to:

- G Compare regions of the state.
- G Measure progress toward goals.
- G Document water quality conditions.
- G Identify sites for cleanup.
- G Develop public policy.
- G Determine where to direct limited resources.
- G Analyze how and why a waterbody is changing over time.

Local, state, federal and other organizations benefit greatly from volunteer data that complement their monitoring programs. Many local organizations and agencies have a long record of promoting volunteer monitoring. Some programs include:

- G VTDEC Lay Monitoring Program.
- G Vermont lake and watershed associations.
- G River Network.
- G VTDEC Aquatic Nuisance Species Watchers.
- G Lake Champlain Basin Program.
- G VTDEC Analytical Services Partnership.
- G UVM Watershed Alliance.
- G The Vermont Monitoring Cooperative.

The uses and value of volunteer monitoring will continue to evolve as the condition of Vermont's and the nation's surface water draws more federal, state, and local attention.

Using this Guide

On the next four pages, you will find a worksheet that will walk you through the process of answering essential questions (the why, what, where, when, and how to monitor) related to your monitoring program. The worksheet is designed to be progressively filled out as each Section is read. When the worksheet is completed, it will provide a clear plan for your specific monitoring program.

Monitoring Design Worksheet

Name of Group:
Date:

This Worksheet is intended to help you with the basic design of your monitoring program. It should not be considered inclusive of all questions you will need to answer related to your monitoring program, nor will all of the questions here pertain to every program. This worksheet also is designed to help those groups interested in completing the U.S. EPA Quality Assurance Project Plan, hence the reference in parenthesis to the different “elements” of the U.S. EPA QAPP.

Answer these questions after reading the corresponding Section of this Guide.

Section 2: Defining Your Questions: Why, What and Who (*Element 5, EPA QAPP*)

- A. State your “why” question: _____

- B. State the purpose of your monitoring program (your “what” question): _____

- C. “Who” will be your data user(s): _____

- D. Is your program realistic (available volunteer time and resources) for your group/organization?

Section 3: Choosing Parameters to Support Your Questions (*Element 6, EPA QAPP*)

- A. What waterbody will you be monitoring? _____
- B. What watershed is that waterbody a part of (see map, pg. 13)? _____
- C. What topics will you need to conduct background research on? _____
- D. Choose parameters to monitor, and fill in the following table (for wetland monitoring and geomorphic assessments see also *Section 5* for more specific monitoring information):

Monitoring Parameter	Why: Your question about the waterbody (from 2A)	What: I’m asking this question because (from 2B)
example: <i>E. coli</i>	Is the water safe to swim in?	The town wants to post warnings, if necessary

Monitoring Design Worksheet

Section 4: Data Quality (*Elements 7, 11, 14, 15, EPA QAPP*)

A. Fill in the table below:

Matrix	Parameter	Sampling Equipment	Sample Holding Containers	Maximum Time Sample Can Be Held Before Being Analyzed
example: lake water	total phosphorus	hose, 5 gallon bucket, 500 mL sample bottle	50 mL glass test tube	28 days

B. Which laboratory, or field kits and meters will you use? _____

C. Who will maintain and calibrate your equipment and how will that be documented?

D. For biomonitoring:

Who will identify (or verify) your samples? _____

To what taxonomic level will your samples be identified (i.e., order, family)? _____

E. For chemical monitoring: use the following table to assess whether the laboratory, field kit or field meter will meet your detection requirements.

Monitoring Parameter	Lab, Kit or Meter's Detection Limit	Detects Natural Range in Vermont Waters?
example: total phosphorus (TP)	5 µg/L (minimum reported value in micrograms per liter from the LaRosa Laboratory in Waterbury, VT)	yes (natural range is <5 -100 µg/L as TP)

F. Will you need to develop a QAPP? If so, who will write the QAPP? _____

Monitoring Design Worksheet

Section 5: Where, When and How to Monitor (*Element 8, EPA QAPP*)

A. Fill in the table below describing safety issues and risks involved in the type of monitoring you will do and the precautions you will take to prevent or reduce any problems:

Safety Issue	Safety Precautions
example: spring high water levels	start sampling in June

B. What are the starting and ending dates of this program? (*Element 6, EPA QAPP*) _____

C. Fill in the table below for sampling location(s), parameters, and frequency of sampling. If you have more than two sampling sites, make a larger version of this table. (*Element 10, EPA QAPP*)

Sampling Frequency	SITE #1											SITE#2										
	Description:																					
	Global Positioning System Units (GPS): Parameter(s):																					
	Temp	DO	E. coli	PH	Turbidity	Measurs	Nitrate	TP	TSS	Plants	Other	Temp	DO	E. coli	PH	Turbidity	Measurs	Nitrate	TP	TSS	Plants	Other
Daily																						
Weekly																						
Monthly																						
After rain event																						

Section 6: Data Management (*Elements 9, 19 EPA QAPP*)

A. What output (charts, graphs, reports) will you need from your data management system? _____

B. What system (binders, spreadsheet, database) will you use to store and manage your data? _____

C. For computer data management, what programs (software) will you use? _____

D. Who will be inputting the data? _____

Monitoring Design Worksheet

E. Who will be checking the data entered and how will that be documented? _____

F. Where and how will field data sheets be archived? _____

Section 7: Converting Data to Information (*Element 21, EPA QAPP*)

A. Identify graphs, charts, tables, etc. that you will generate to explain your data findings and conclusions.

.....

Section 8: Evaluating Monitoring Program Performance

Most of the questions in this Section need to be answered AFTER your first round of monitoring. Evaluating your program performance will help sustain your efforts as well as improve them. Therefore, below are a few questions to refer back to when the time comes.

A. Was your monitoring program's "why" question answered? _____

B. Which of your monitoring program's goals and objectives were met? Which were not met? _____

C. Identify what was successful in your monitoring program: _____

D. Identify any problems with your project in the areas of: (*Element 22, EPA QAPP*)

Collecting and analyzing samples	Storing, disseminating and interpreting data	Reporting the information to managers and the public	Identifying gaps and inefficiencies

E. Describe any changes and/or follow-up work that needs to be done, or new questions that need to be addressed: _____
